





THE TRUE CLASSICS LAST FOREVER

~~~~

# IRON WAS NEVER SO STYLISH

~~~~



BLB IS RENOWNED IN THE WORLD OF METALLURGICAL INDUSTRY, SPECIALIZING IN THE PRODUCTION OF VITREOUS TITANIUM ENAMEL CAST IRON BATHTUBS.

~~~~

FOUNDED: 1966

HEADQUARTERS AND SHOWROOM: ÁGUEDA, PORTUGAL

PRODUCTION CAPACITY: 200.000 PIECES/YEAR

### MISSION AND VALUES

BLB's mission is to develop a product and a sustainable working method enabling it to satisfy the future generations of workers, clients, suppliers, shareholders and community where it is "active" since 1966 in order to continuously become bigger, stronger.

## TECHNICALLY SUPERIOR

In a fast changing industry and global economy BLB recognises the importance of Research & Development in securing the future of the Company and, as such, it ensures that production processes are efficient, making the products technically superior with a natural advantage in the market place.

The raw materials used in manufacturing BLB products are provided by highly qualified suppliers capable of meeting the necessary demands in terms of quality. Coping with increased environmental regulations and directives is not a problem for this innovator. BLB actually manufacture a product which is 100% recyclable!

The Company has also been certified with both ISO 9001 Quality Certification and ISO 14001 Environment Certification. However, focus is not on awards but on the satisfaction of its clients and end users.

That is an award in itself.

BLB's first certification according to ISO quality standards dates back from 1998 and is at present certified according to ISO 9001:2008.

BLB's global quality management system is maintained and improved having as goal to be focused on producing and supplying high standard quality products and providing maximum customer satisfaction and adopting guidelines of continuous improvement.

BLB INTEGRATES THE QUALITY PRINCIPLES
IN THE COMPANY POLICY, IN ORDER TO ACHIEVE
EFFICIENT PROCESSES ON ORGANISATION,
AND TO BE SUPPORTED BY HIGH SKILLED AND
TRAINED TECHNICAL AND PRODUCTION TEAMS
AS WELL AS TO SETTLE METICULOUS CONTROLS
OF RAW MATERIALS, PROCESSES AND PRODUCTS.

All products manufactured by BLB fulfil every technical requirements established by the wide variety of markets where they are sold and for specific markets they are fully accredited by product certifications such as N Mark and NF Mark.

Additionally all BLB products comply with the CE marking requirements as established in the relevant EN standards for Vitreous Titanium Enamel Cast Iron products.

BLB has an environment management system certified according to ISO 14001 since 2004. The principle of pollution reduction and minimization of environmental impacts is consolidated in the company policy.

The best available techniques are adopted in manufacturing processes with the intention that gas and liquid emissions and waste production are minimized.

Establishing ambitious goals to reduce consumption of energy and material resources is another commitment to environment protection.

During product development the environmental aspects are also considered with the aim of reducing impacts. In this process is considered the optimization of resource consumption (packaging materials, raw-materials, and for example water consumption by users) and production of waste from packaging materials at the construction site.



MATERIAL EXCELLENCE


## PROVEN RESISTANCE

ALWAYS PROMOTING A BETTER HYGIENIC LEVEL OF WORLD-WIDE SOCIETIES WITH A MINIMAL IMPACT TO THE ENVIRONMENT.

ALL OUR CAST IRON BATHTUBS ARE MADE OF TITANIUM ENAMEL, AN ELITE MATERIAL WITH THE MAXIMUM DEGREE OF ABRASION, SCRATCH AND IMPACT RESISTANCE WITH NO NEGATIVE IMPACTS ON THE ENVIRONMENT.

FOR REASONS OF QUALITY CONTROL, WE ALWAYS WORK DIRECTLY WITH THE WORLD'S LEADING SUPPLIERS OF ENAMELS AND STEEL ALLOWING US TO HAVE A DEDICATED TEAM OF ENGINEERS, CHEMISTS, DESIGNERS, TECHNICIANS AND MANUFACTURING OPERATORS CONSTANTLY WORKING TO CREATE SYNERGIES IN ORDER TO FORMULATE SPECIALIZED ENAMELS AND STEEL TO PROVIDE OUR CUSTOMERS THE BEST SOLUTIONS IN THE WORLD.









| CHEMICALS AND STAINING AGENTS |                |                           |                           |                     |                  |                        |                        |
|-------------------------------|----------------|---------------------------|---------------------------|---------------------|------------------|------------------------|------------------------|
| SULFURIC<br>ACID              | ACETIC<br>ACID | ETHANOL<br>METHYLENE BLUE | SODIUM<br>HYPOCHLORITE    | SODIUM<br>HYDROXIDE | BOILING<br>WATER | BOILING<br>CITRIC ACID | COLD<br>CITRIC<br>ACID |
| ISO 28706-1                   | EN 14516       | EN 14516                  | EN 14516                  | EN 14516            | EN 14516         | ISO 28706-2            | ISO 28706-1            |
| TEMPERATUR<br>CHANGES         | EE.            | SCRATCHES AND<br>ABRASION | DIMENSIONAL<br>STRICTNESS | BACT.<br>FUNG       | ERIA AND<br>OS   | STABILITY<br>OF BOTTO  |                        |
| EN 14516<br>Maximum effic     | iency          | EN 14688                  | EN 14516 / EN 2           | 232 Maxim           | num efficiency   | EN 14516               |                        |



The main goal of green building/ sustainable building is to use environmentally responsible/friendly and resource-efficient processes throughout a building's life-cycle with the intention that the overall impact on human health and the natural environment is reduced.

In these processes, design, maintenance and demolition have an important role and within this philosophy the use of vitreous enamelled steel products contribute significantly to the reduction of these environmental impacts: waste production, pollution, environmental degradation and resources.

Consumption is reduced because vitreous enamelled steel Bathtubs and Shower trays are 100% recyclable and in this way allow sustainable development.





# USA

Free-standing Cast Iron bathtub with double raised back. An exclusive bathtub that rests on four elegant feet that not only provides support but also offers a decorative element. This stylish bathtub blends perfectly with both contemporary and classic environments. Exterior can be personalized with one of the four available colours (grey, white, Bordeaux and blue marine).



## **INCLUDES**

- Antislip
- Earthing strap for equipotential bonding

## **INSTALLATION AIDS**

- Available sets of free-standing feet:
- . Classic
- . Eagles
- . Lions
- Special cromed brass waste valve
- Floor-standing Bath shower mixer tap

# AVAILABLE COLOURS

- Inside: White
- Outside: White, Gray, Bordeaux, Blue Marine



- 30 years warranty
- 100% recyclable

# Heavy duty performances:

Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.

Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

## **STANDARDS**

CE mark according to EN 14516-CL1+CL2,









EAGLES Art. code: APMUSAEG0


CLASSIC Art. code: APMUSACL0





LIONS Art. code: APMUSALI0

















# ARTIC

Luxury Double-ended bathtub with symmetrical elegant body that will give you total freedom of use. The integral anatomical backrests and armrest grant a singular comfort while bathing. This extravagant model has a full length shelf which becomes a comfortable support for objects or ideal space to host the taps and fittings.



## INCLUDES

- Antislip
- Earthing strap for equipotential bonding

## **ACCESSORIES**

- Chromed handle "Artic" model
- Tap holes

## **INSTALLATION AIDS**

- Metal feet
- Waste valve
- Taps

## **AVAILABLE SIZES**

• 1700 x 850 mm

## AVAILABLE COLOURS

• White

## **REMARKS**

- 30 years warranty
- 100% recyclable

# Heavy duty performances:

Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.

Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516




## **STANDARDS**


CE mark according to EN 14516-CL1+CL2,
















# AUSTRALIA


With plenty of space, the smooth lines along it's large dimensions enables you to enjoy your bath in style.

















# STANDARDS CE mark according to EN 14516-CL1+CL2,

## ACCESSORIES

• Chromed handle "Fresh" or "Pure" model"

• Antislip, Earthing strap for

equipotential bonding.

• Tap holes

**INCLUDES** 

## **INSTALLATION AIDS**

- Metal feet
- Waste valve
- Taps

## **AVAILABLE SIZES**

• 1700 x 850 mm

## AVAILABLE COLOURS

• White

## **REMARKS**


- 30 years warranty
- 100% recyclable

# Heavy duty performances:

Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.

Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516







With a blend of curved lines and smooth design, this bathtub inspires elegance.

The neck support area as well as the slight slope in the back, enhances comfort while bathing.





A B C D \*Vol

1500 800 1290 680 100

F78M 1700 800 1490 680 120


F68M 1600 800 1390 680 107


F45M 1400 750 1190 630 75

\*70 litres displacement on average









## **INCLUDES**

- Antislip
- Earthing strap for equipotential bonding

## **ACCESSORIES**

- Chromed handle "America" model
- Tap holes

## **INSTALLATION AIDS**

- Metal feet
- Waste valve
- Taps

## **AVAILABLE SIZES**

- 1700 x 800 mm
- 1600 x 800 mm
- 1500 x 800 mm
- 1400 x 750 mm

## **AVAILABLE COLOURS**

• White

## **REMARKS**

- 30 years warranty
- 100% recyclable


## **Heavy duty** performances:


Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.

Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

## **STANDARDS**

CE mark according to EN 14516-CL1+CL2





Noble and refined lines define the Asia series. The perfect solution to create a classical and refined environment.



## INCLUDES

- Antislip
- Earthing strap for equipotential bonding

## **ACCESSORIES**

- Chromed handle "Fresh" or "Pure" model"
- Tap holes

## **INSTALLATION AIDS**

- Metal feet
- Waste valve
- Taps

## **AVAILABLE SIZES**

- 1700 x 750 mm
- 1600 x 750 mm
- 1500 x 750 mm
- 1700 x 700 mm
- 1600 x 700 mm

# AVAILABLE COLOURS

• White



## **REMARKS**


- 30 years warranty
- 100% recyclable


## Heavy duty performances:


Resistant to surface impacts, scratch, abrasion, colourfast and lightfast. Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

## **STANDARDS**

CE mark according to EN 14516-CL1+CL2







| ref. | Α    | В   | С    | D   | Vol.  |
|------|------|-----|------|-----|-------|
| F75A | 1700 |     |      |     |       |
| F65A | 1600 | 750 | 1413 | 630 | ≈100* |
| F55A | 1500 | 750 | 1313 | 630 | ≈95*  |
| F70A | 1700 | 700 | 1513 | 580 | ≈110* |
| F60A | 1600 | 700 | 1413 | 580 | ≈95*  |
|      |      |     |      |     |       |

\*70 litres displacement on average



This model is an example of functionality. The clean lines fit perfectly into any style of decor and its wide range of sizes guarantees a solution for any room.



- Earthing strap for equipotential bonding

## ACCESSORIES

- Chromed handle "Fresh" or "Pure" model", Tap holes,
- Tap holes

## **INSTALLATION AIDS**

- Metal feet
- Waste valve
- Taps

## **AVAILABLE SIZES**

- 1700 x 700 mm
- 1600 x 700 mm
- 1500 x 700 mm
- 1400 x 700 mm
- 1200 x 700 mm
- 1000 x 700 mm

## **AVAILABLE COLOURS**

• White

## **REMARKS**

- 30 years warranty
- 100% recyclable


## **Heavy duty** performances:

Resistant to surface impacts, scratch, abrasion, colourfast and lightfast. Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.

## **STANDARDS**


CE mark according to EN 14516-CL1+CL2

















| ref. | Α_   | В   | С    | D   | Е   | F   | G   | Н   | K  | Vol.  |
|------|------|-----|------|-----|-----|-----|-----|-----|----|-------|
| F70F | 1700 | 570 | 1530 | 420 | 400 | 350 | 285 | 100 | 70 | ≈115* |
| F60F | 1600 | 570 | 1430 | 420 | 400 | 350 | 285 | 100 | 70 | ≈100* |
| F50F | 1500 | 570 | 1330 | 420 | 400 | 350 | 285 | 100 | 70 | ≈95*  |
| F40F | 1400 | 560 | 1230 | 420 | 400 | 350 | 285 | 100 | 70 | ≈75*  |
| F20F | 1200 | 550 | 1050 | 390 | 370 | 330 | 260 | 75  | 60 | ≈50*  |
| F00F | 1000 | 550 | 850  | 390 | 370 | 330 | 260 | 75  | 60 | ≈30*  |

\*70 litres displacement on average



# AFRICA With Seat

Designed to accommodate the needs of children and always baring in mind their safety and comfort, this small sized bathtub is the ideal solution for our youngsters.





## **INCLUDES**

• Earthing strap for equipotential bonding



## **INSTALLATION AIDS**

• Metal feet

## AVAILABLE COLOURS


• White

## **REMARKS**

- 30 years warranty
- 100% recyclable


# Heavy duty performances:


Resistant to surface impacts, scratch, abrasion, colourfast and lightfast.
Proven resistance to chemical and staining agents according to ISO 28706-1, ISO 28706-2 and EN 14516.





## **STANDARDS**

CE mark according to EN 14516-CL1+CL2









# ACCESSORIES

## **HANDGRIPS**



A00ACRPR1 Handgrip (pair) Chromed model PURE.



A00ACRNT1 Handgrip (pair) Chromed model NATURE.



A00ACRFR1 Handgrip (pair) Chromed model FRESH.



A00ACRAR1 Handgrip (single) Chromed model ARTIC.



Handgrip (pair) Chromed model AMERICA.

## **ACCESSORIES**





## **ANTI-SLIP**

The anti-slip oers excellent underfoot safety.



## **SPECIAL FEATURES**

BLB bathtubs are developed to permit special features such as drill holes for taps and handles.



## **ENAMEL REPAIRING KIT**

A00KITR00



# ACCESSORIES \_\_



## **INSTALLATION AIDS**

## **BATHTUB FEET**



## APMCAST01

## CAST IRON "BOLT ON" LEG SET "CASTFEET"

For a quick and easy installation of our bathtubs ensuring maximum stability. Suitable on models: Artic; Australia, America, Asia, Africa

## APMCASTS1

## CAST IRON "BOLT ON" LEG SET "CASTFEET"

For a quick and easy installation of our bathtubs ensuring maximum stability. Suitable on models: Africa with seat

## **ACCESSORIES**



## **INSTALLATION AIDS**

## **WASTE VALVES - BATHTUBS**

| A00VAUT60 | 01 | Bathtub Pop-up cable Overflow/Waste. (Equipped with a brass plug, siphon,            |
|-----------|----|--------------------------------------------------------------------------------------|
|           |    | chrome handle and covering plug).                                                    |
| A00VALC60 | 02 | Bathtub Overflow/Waste valve. (Equipped with siphon, overflow and connection pipe).  |
| A00VSMP60 | 03 | Bathtub Overflow/Waste valve. (Equipped with overflow and low deep connection pipe). |







## **BATHTUB ENCLOSURES**

## TOTAL PROTECTION

Step has now available a range of bathtub screens 100% compatible with BLB bathtubs.


This solution is composed by two panels (one fixed plus one pivot) that results in total protection.

Materials: Chromed or White frame finishes and 6mm tempered safety glass.

## ADSTEPBN1

Side bath screen 1 fixed screen with stabilising bar to opposing wall (left/right rectangular bathtub) dimensions: 900x1500 mm ADSTEPBN2

 $Side \ bath \ screen \ 1 \ 180^o \ hinged \ pivot \ door \ with \ one \ fixed \ panel \ (left/right \ rectangular \ bathtub) \ dimensions: \ 1200x1500 \ mm$ 









BATHTUB DOUBLE PANEL ENCLOSURE (REVERSIBLE)





## MORE INFO AT WWW.BLB.PT



All data presented on this catalogue can be changed or updated with no previous warning. Illustrations are similar and subject to technical alterations, tolerances and errors.

Warranty conditions are subject to product specifications or other.

Please ask for detailed information. © 2020 BLB, S.A.





## WWW.BLB.PT



## BLB - INDÚSTRIAS METALÚRGICAS, S.A.

Apartado (P.O. Box) 3041 - Alagôa 3754-901 Águeda - Portugal

Tel. +351 234 630 410 Fax +351 234 630 416

GPS coordinates: 40° 35′ 32.8″ N 8° 27′ 40.5″ W

blb@blb.pt









