


Fast. Easy. Megaloc.







CLASSEN megaloc is unique

megaloc is new. megaloc is unique. megaloc is certainly the world's fastest and easiest installation system. Laying your *CLASSEN* laminate flooring will be child's play with this latest glue-free installation system. The roof tile principle of installation means that a special locking mechanism on the short side is superfluous.


Select laminate flooring

quick and easy to lay

Simply place the board in the groove of the previously laid row. As it is lowered, the laminate floorboard will be locked in with the previously installed board. Finally, just press your thumb quickly on the cross bevel and it's ready!







CLASSEN Style World

7 mm, fine pore/structure/ partly with 2-side bevelled edge.

The seven-millimetre collection with select high-quality finishes.

Level of use 31/AC3

CLASSEN Trend World

8 mm, structure/structure matt/ partly with 4-side bevelled edge/ XL special format.

Elegant finishes make this special collection distinctive.

Level of use 32/AC4

CLASSEN Premium World

8 mm, structure matt/ 4-side bevelled edge/6".

State-of-the-art laminate flooring, surfaces and formats with the highest quality appearance and workmanship – simply premium.

Level of use 32/AC4




Discover CLASSEN's laminate range, a multiplicity of surfaces, floorboard formats and finishes, as they can only be offered to you by one of the world's leading laminate flooring manufacturers.

Experience the world of CLASSEN at your building material supplier.







Style World – simple and ingenious

CLASSEN Style World really lives up to its name. In this collection, you will find select high-quality finishes with a flooring thickness of seven millimetres.

The floors in the *CLASSEN Style World* range illustrated here have a finely textured structure and are recommended for private residential use, featuring level of use 31/AC3.

7mm fine pore AC3



Art.-Nr. 26181 Listone bianco fineliner



Art.-Nr. 27445 Listone Colorado yellow – fineliner



Art.-Nr. 22121 Beech 3-strip



Art.-Nr. 22173 Oak natural -3-strip



Art.-Nr. 22175 Walnut -3-strip



Art.-Nr. 24357 Plum -3-strip



Art.-Nr. 26180 Oak elegance -2-strip



















thickness

finely porous structure

7mm fine pore AC3

Art.-Nr. 22176

- Sacramento pine full plank



Art.-Nr. 22178

Lapacho chocolate full plank



Art.-Nr. 22179 Wenge full plank




Art.-Nr. 28704 Wine & pine full plank



Art.-Nr. 30875 - Kids floor full plank



CLASSEN Style World




Style structure – modern and open-minded

The attractive structured surface shows off the variety of *CLASSEN Style World* finishes in a different, quite new light.

The finely structured surface makes *CLASSEN Style World* suitable both for private residential use and moderate industrial use e.g. in a home office.



















thickness

structured surface

7mm structure AC3

Art.-Nr. 35527 - White oak 2-strip



Art.-Nr. 25850

— Camedo maple full plank



Art.-Nr. 25862

- Pine silver
full plank



Art.-Nr. 25869 Tigerwood full plank



Art.-Nr. 25870


— Tasmanian oak full plank



Art.-Nr. 26163 Lapacho natural full plank



CLASSEN Style World




Style structure – particularly classy

The additional chamfer on the long side of selected finishes also contributes to a particularly classy laying pattern.

However, the real sensation is the successful *CLASSEN* megaloc glue-free installation system which is intrinsic to all *CLASSEN* brand laminate flooring and which has virtually revolutionised the installation process. A floor has never before been laid so incredibly quickly and simply.

















thickness



7mm structure AC3 with 2-side bevelled edge

Art.-Nr. 30877

Wine & pine white full plank



Art.-Nr. 30879

Wine & pine full plank



Art.-Nr. 30880 - Lodge pine full plank



Art.-Nr. 31958

Pine mature
full plank



Art.-Nr. 31961

- Tauern spruce white full plank




Art.-Nr. 31966

– Tauern spruce brown full plank



CLASSEN Style World



Trend World – enjoy your life

Life on a high level, freedom to surf the latest wave, a little adventure. That is what *CLASSEN Trend World* offers.

A large selection of chic flooring and trendy surfaces with structures pleasant to the touch. The *CLASSEN Trend World* brings that something special into your home – a real trend setter.

As it is classified in wear resistance category 32 and abrasion resistance category 4, this eight-millimetre thick flooring is suitable for normal commercial use.





8mm structure AC4

Art.-Nr. 26174

- Scandinavian ash
2-strip



Art.-Nr. 32543

— Hickory
2-strip



Art.-Nr. 32553

- Monument oak
2-strip

























CLASSEN Trend World



Trend World – seize the day

The *CLASSEN Trend World* is recommended for the high-traffic areas of your home. The quick installation system *CLASSEN* megaloc is also used here to install the trendy laminate floor boards quick and easy.

But of course, there are other things in life ...

















thickness



8mm structure AC4


Art.-Nr. 21379

Pine
full plank



Art.-Nr. 21387

Lapacho chocolate full plank



Art.-Nr. 22128 Sessile oak full plank



Art.-Nr. 22129
Snow pine light full plank



Art.-Nr. 24359

Maple white full plank




Art.-Nr. 26177

Nordic pine
full plank



CLASSEN Trend World



Trend World - definitely your style

With a matt, textured surface and extra-wide planks, CLASSEN Trend World shows its truly outstanding feature: the optimum combination of durability and an attractive appearance.

The all-round bevel lends the uniform laying pattern of the *CLASSEN Trend World* decors a special character. The XL plank formats produce a generously sized and orderly appearance.

8mm structure matt AC4



4-side bevelled edge Art.-Nr. 32064 Burlington oak full plank



4-side bevelled edge
Art.-Nr. 32065
Derby oak
full plank



4-side bevelled edge Art.-Nr. 32066 Lodge pine full plank



4-side bevelled edge
Art.-Nr. 32067
Splitwood
full plank



4-side bevelled edge Art.-Nr. 35539 Mature timber full plank



4-side bevelled edge Art.-Nr. 40975 Pine white full plank



















XL special format

8mm structure matt AC4 XL plank

4-side bevelled edge Art.-Nr. 32057 Burlington oak full plank XL



4-side bevelled edge Art.-Nr. 32058 Canyon oak full plank XL




4-side bevelled edge Art.-Nr. 32059 Hacienda oak full plank XL



4-side bevelled edge Art.-Nr. 32060 Oak rough sawn full plank XL



CLASSEN Trend World



Premium World – the big extravaganza

The best days of our lives – wedding, trip to the opera, fancy clothes – and to match this *CLASSEN Premium World* provides the ample array of a high-end collection.

The 6 inch wide typical format of a classical floor board experiences a renaissance in the *CLASSEN Premium Word*.

The surrounding chamfer underscores the natural look of a traditional floor board after it is installed. The colour interaction of the six inch flooring has a remarkable affect due to the matt structure of its surface.











thickness













6" special format

4-side bevelled edge

8mm structure matt AC4 6 inch

4-side bevelled edge Art.-Nr. 25963 Oak Périgord full plank 6"



4-side bevelled edge Art.-Nr. 25964 Fresco full plank 6"



4-side bevelled edge Art.-Nr. 25965 Castle oak full plank 6"



4-side bevelled edge Art.-Nr. 25966 Nebraska oak full plank 6"




4-side bevelled edge Art.-Nr. 25967 Canyon oak full plank 6"



4-side bevelled edge Art.-Nr. 35541 Pine white full plank 6"



CLASSEN Premium World



CLASSEN branded laminate floorings are low emission.

From the transportation of raw materials through to dispatch, the entire production process is carried out at the integrated production site in Mark Brandenburg with its enormous forests. Short transportation routes of the raw wood material to the laminate factory, low-emission production technologies, the use of waste wood in our own biomass heat plant and the reintroduction of such to the production circuit: This is a resource-gentle, sustainable method of management which begins with forestry management.







We guarantee that no imported tropical wood is used in the manufacturing of **CLASSEN** laminate flooring.

classen laminate flooring is solely based on PEFC-certified wood and domestic wood from sustainable forest management, which is highly compressed to become real classen HDF board.






low-emission product



Promoting
Sustainable Forest
Management
www.pefc.org

Surrounded by giant forests, Fiberboard GmbH's MDF factory is located in the centre of the Brandenburg marches and adjacent to the directly connected laminate factory that belongs to **CLASSEN** Industries GmbH. This forms part of a concept to establish an integrated site. Back in the days when the company was selecting a site, 'sustainability' was a main issue. In addition to being near to suppliers, immediate proximity to wood (as a raw material) was a key criterion in settling for the site. Today, the **CLASSEN** integrated site concept benefits from sustainably managed wood that is grown in the nearby forests of Brandenburg. This enables laminate production that is both resource-friendly and low in emissions.




Surface technology

From micro-pore to chrome-like surface structures

Thanks to special technologies used during the treatment of laminate décors with unusual surface structures, *CLASSEN* demonstrates outstanding product competence.

Starting with smooth surfaces without any structure via floors with super-matt surface structure or with the haptics of an oiled floor, nine structure variants are set out:



Rough and micro-pore surfaces can mainly be found among the entry-level variants. Tangible micro-structure or matt structures supplement the series of surface variants. Synchronous structure, hand-scraped surface or high-polished pores

form the next level of high-quality sensitive surface treatment. Leather and cast iron as well as stone, slate and varnish are among the unusual special structures and are further proof of the excellent CLASSEN surface expertise.





Ranges Decors, designs, formats

The following format variants are currently available:



XXL long board format in the dimensions 2,175 mm length x 243 mm width



XL big board format in the dimensions 1,286 mm length x 243 mm width



XL big board format in the dimensions 1,286 mm length x 282 mm width



Standard board format in the dimensions 1,286 mm length x 194 mm width




Narrow board format in the dimensions 1,286 mm length x 160 mm width



30/60-laminate tile in the dimensions 605 mm length x 282 mm width

The *CLASSEN* Group is one of the world's leading manufacturers of laminate flooring. There is hardly another manufacturer who can offer one-stop shopping for such a depth and breadth of hard floor coverings. As a specialist for laminate floor coverings in the widest sense, the *CLASSEN* Group also produces laminated floor coverings as *D-sign by CLASSEN*.

The *CLASSEN* Group offers its customers the possibility of putting together a tailormade range of almost 400 décors, twelve different surface variants and six format variants.



megaloc

Surely the quickest and simplest installation system in the world

CLASSEN megaloc was developed and optimised for the easy installation of laminate flooring. This is where the installation concept with the lock clip system proves its superiority.

Try **CLASSEN** megaloc for yourself. You will discover: This way laying floors is fun.

CLASSEN megaloc ...



- During the installation, ISOWAXX seeps into the connecting joint and automatically seals it.
- For optimal protection from water ingression from above.




click...

position...

Simply place the long profile of the new panel in the previously installed row and lower

to connect to the new row.



A short push with the thumbs on the short profile and the panel locks into place with an audible click.

... finished!

super easy, super fast and super strong





low-emission product



Promoting
Sustainable Forest
Management
www.pefc.org

This applies to all CLASSEN laminate floorings:

SUSTAINABILITY

It is guaranteed, that no imported tropical timber is used for the manufacture of **CLASSEN** laminate.

The wood for the manufacture of **CLASSEN** laminate floorings originates from sustainable forestry.

Overview Basic Characteristics Technical Data

CLASSEN Style World















CLASSEN Trend World



















CLASSEN Premium World



















CLASSEN Group